

RECEIVED
CENTRAL FAX CENTER

OCT 12 2006

Application No.: 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

AMENDMENTS TO THE CLAIMS

1. (currently amended) A distributed method ~~for~~ of performing network monitoring, comprising:

obtaining, by an infrastructure management appliance, customer specific information for establishing a secure virtual connection from with a remote data center, said customer specific information being obtained from said remote data center over via a first communication interface to said infrastructure management appliance,

wherein said remote data center is connected to a public network,

wherein said infrastructure management appliance is connected to a customer network via a second communication interface to said infrastructure management appliance, and

wherein said infrastructure management appliance is connectable to said public network via said second communication interface and said customer network;

establishing, by ~~said infrastructure management appliance~~ responsive to said customer specific information obtained via said first communication interface, a said secure virtual connection with said remote data center by said infrastructure management appliance, the infrastructure management appliance

-2-

WEINGARTEN, SCHURGIN,
GAGNEBIN & LEBOVICI LLP
TEL. (617) 542-2290
FAX. (617) 451-0313

Application No.: 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

~~being connected to a customer network, the remote data center
being connected to a public network, the customer network being
connectable to the public network,~~

~~wherein said establishing of said secure virtual connection
with said remote data center is responsive to said customer
specific information obtained from said remote data center over
the first interface to said infrastructure management appliance,
and~~

~~wherein the establishing step includes establishing the~~
secure virtual connection with the remote data center is
established over ~~the said public network over via a said second~~
communication interface to said infrastructure management
appliance;

monitoring, by said infrastructure management appliance, at
least one customer resource, the customer resource being connected
to the customer network, wherein the monitoring step includes
monitoring the customer resource over the customer network; and

transmitting information obtained through said monitoring of
said customer resource to said remote data center ~~over via said~~
secure virtual connection.

Application No.: 10/010,915
Filed: December 7, 2001
TC Art Unit: 2144
Confirmation No.: 6110

2. (original) The method of claim 1, wherein said establishing said secure virtual connection with said remote data center comprises establishing a virtual private network with said remote data center.

3. (canceled)

4. (canceled)

5. (original) The method of claim 4, wherein said monitoring of said at least one customer resource is performed over said second interface to said infrastructure management appliance.

6. (original) The method of claim 4, wherein said obtaining of said customer specific information over said first interface to said infrastructure management appliance comprises obtaining said customer specific information through dial up access over a serial line to said data center.

7. (original) The method of claim 4, wherein said obtaining of said customer specific information further comprises obtaining an

Application No.: 10/010,915
Filed: December 7, 2001
TC Art Unit: 2144
Confirmation No.: 6110

network address of said infrastructure management appliance from said remote data center.

8. (original) The method of claim 7, wherein said obtaining of said network address of said infrastructure management appliance comprising obtaining an Internet Protocol (IP) address from said remote data center.

9. (original) The method of claim 4, wherein said monitoring of said at least one customer resource comprises periodically polling of a server system to determine whether said server system is in an operational state.

10. (original) The method of claim 4, wherein said monitoring of said at least one customer resource comprises generating a synthetic transaction with respect to at least one customer application, and storing a result obtained from said customer application in response to said synthetic transaction.

11. (original) The method of claim 4, further comprising:
discovering at least one customer operational environment attribute; and

Application No.: 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

configuring said first interface to said infrastructure management appliance in response to said at least one customer operational environment attribute.

12. (original) The method of claim 11, wherein said at least one customer operational environment comprises a dial-out prefix.

13. (currently amended) An infrastructure management appliance, comprising:

a first communication interface;

a second communication interface;

at least one processor;

at least one memory, said memory operable to store program code executable on said at least one processor, wherein said program code includes:

program code for obtaining customer specific information for establishing a secure virtual connection with a remote data center, said customer specific information being obtained from a said remote data center ~~over~~ via said first communication interface;

program code for establishing, responsive to said customer specific information, a ~~a~~ said secure virtual connection with said

Application No.: 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

remote data center, the infrastructure management appliance being connectable to a customer network, the remote data center being connected to a public network, the customer network being connectable to the public network, wherein the program code for establishing a secure virtual connection is operable to establish the secure virtual connection with the remote data center over the public network ~~ever~~ via said second communication interface;

program code for monitoring at least one customer resource, the customer resource being connected to the customer network, wherein the program code for monitoring at least one customer resource is operable to monitor the customer resource over the customer network; and

program code for transmitting information obtained through said monitoring of said customer resource to said remote data center ~~ever~~ via said secure virtual connection.

14. (original) The infrastructure management appliance of claim 13, wherein said program code for establishing said secure virtual connection with said remote data center comprises program code for establishing a virtual private network with said remote data center.

Application No.: 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

15. (canceled)

16. (canceled)

17. (original) The infrastructure management appliance of claim 16, wherein said program code for monitoring said at least one customer resource monitors said at least one customer resource over said second communication interface.

18. (original) The infrastructure management appliance of claim 16, wherein said program code for obtaining said customer specific information obtains said customer specific information over said first communication interface, and wherein said first communication interface provides dial up access over a serial line to said remote data center.

19. (original) The infrastructure management appliance of claim 16, wherein said program code for obtaining said customer specific information further comprises program code for obtaining a network address of said infrastructure management appliance from said remote data center.

Application No.: 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

20. (original) The infrastructure management appliance of claim 19, wherein said program code for obtaining said network address of said infrastructure management appliance comprises program code for obtaining an Internet Protocol (IP) address from said remote data center.

21. (previously presented) The infrastructure management appliance of claim 16, wherein said program code for monitoring of said at least one customer resource comprises program code for periodically polling a server system to determine whether said server system is in an operational state.

22. (original) The infrastructure management appliance of claim 16, wherein said program code for monitoring said at least one customer resource comprises program code for generating a synthetic transaction with respect to at least one customer application, and program code for storing a result obtained from said customer application in response to said synthetic transaction.

23. (original) The infrastructure management appliance of claim 16, further comprising:

-9-

WEINGARTEN, SCHURGIN,
GAGNERIN & LEBOVITZ LLP
TEL. (617) 542-2280
FAX. (617) 451-0313

Application No.: 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

program code for discovering at least one customer operational environment attribute; and

program code for configuring said first communication interface in response to said at least one customer operational environment attribute.

24. (original) The infrastructure management appliance of claim 23, wherein said at least one customer operational environment attribute comprises a dial-out prefix.

25. (currently amended) A distributed system for performing network monitoring, comprising:

a public network;

a remote data center connected to said public network;

a customer network connectable to said public network;

an infrastructure management appliance connected to said customer network, said infrastructure management appliance having a first communication interface and a second communication interface;

means for obtaining, by said infrastructure management appliance, customer specific information for establishing a secure virtual connection with a remote data center, said customer

Application No.: 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

specific information being obtained from said remote data center
~~ever via~~ said first communication interface to said infrastructure
management appliance;

means for establishing, by said infrastructure management
appliance, a said secure virtual connection with the remote data
center over the public network ~~ever via~~ said second communication
interface to said infrastructure management appliance,

wherein said means for establishing said secure virtual
connection with said remote data center is responsive to said
customer specific information obtained from said remote data
center ~~ever via~~ said first communication interface to said
infrastructure management appliance;

means for monitoring, by said infrastructure management
appliance, at least one customer resource, said at least one
customer resource being connected to the customer network, wherein
said means for monitoring the at least one customer resource is
operable to monitor the customer resource over the customer
network; and

means for transmitting information obtained through said
monitoring of said customer resource to said remote data center
~~ever via~~ said secure virtual connection.

-11-

WEINGARTEN, SCHURGIN,
CAGNINI & LEBOVICI LLP
TEL. (617) 542-2290
FAX. (617) 451-0313